
Specifications



	Brus	hed	Version:
--	------	-----	----------


Brushed Ver	sion:				
Item No.	94513	Wheel	66*35mm	Motor	RC540-8017
Item Name	HISPEED GT	Main Material	Plastic/Hardware/Rubber	Servo	6kg
Scale	1/10	Radio/Rx	G4P-2.4G/4CH	Speed	>35kn
Desciption	RTR-On-Road	R/C Distance	>110?	Weight	1610g
Length	450mm	Transmitter Battery	?AA?4P	Gead Ratio	1:6.9
Width	200mm	Battery Pack	7.4V 3500mAH	Body Color	PC
Height	120mm	Running Time	>25min	Gift Box Size	555*245*155mm
Wheel Base	260mm	Charger Spec	11.1/7.4V800mA (Euro/UK/USA)	Piece per Carton	4P
Ground Clearance	6mm	Electronic Speed Control	WP-1060 / 60A	Certification	EN71,RoHS,CE,FCC


BrushlessVersion:


Item No.	94513PRO	Wheel	66*35mm
Item Name	HISPEED GT	Main Material	Plastic/Hardware/Rubber
Scale	1/10	Radio/Rx	G4P-2.4G/4CH
Desciption	RTR-On-Road	R/C Distance	>110?
Length	450mm	Transmitter Battery	?AA?4P
Width	200mm	Battery Pack	7.4V 38000mAH
Height	120mm	Running Time	>25min
Wheel Base	260mm	Charger Spec	11.1/7.4V800mA (Euro/UK/USA)
Ground Clearance	6mm	Electronic Speed Control	WP-10BL50 / 50A


_		
	Motor	3652/3300kv
r	Servo	6kg
	Speed	>60kn
	Weight	1660g
	Gead Ratio	1:6.9
	Body Color	PC
	Gift Box Size	555*245*155mm
	Piece per Carton	4P
	Certification	EN71,RoHS,CE,FCC


Assembly Steps



















































Spare Part #51101 #51102 #51103 #51104 #51301 Chassis / Battery brace ESC Cover Front Holder Gear Cover Gearbox Housing #51302 #51303 #51304 #51305 #51306 Shock Tower Shock Mount Bumper Front Lower Sway Bar Rear Lower Sway Bar #51307 #51308 #51309 #51310 #51311 Caster Block (R/L) Front Upper Sway Arm Rear Upper Sway Arm Steering Mount Rear Axle Mount #51314 #51312 #51313 #51315 #51316 Steering Mount Set / Steering Links Set Steering horn **Body Post** Servo Mount Crown Gear(64T) #51317 #51318 #51319 #51320 #51321 Motor Mount Diff. Case Diff Gears Set Diff Main Gear(42T) Diff Bevel Gear Set #51322 #51323 #51324 #51325 #51326 00 Diff Gasket & O Ring Cap Joint for Diff. Drive Gear(17T) Driveshaft Cap Joint-1 Central Driveshaft #51327 #51328 #51329 #51330 #51331 Driveshaft Driveshaft Cap Joint-2 | Front CVD Drive shaft Rear shaft Shock Absorber


#51332 #51333 #51334 #51335 #51336 Wheel Hex.W Wheel axle Wheel Complete L/R Wheel Rim Tire W/Foam #51337 #51338 #51339 #51340 #51341 Pin 1-4*40 Pin2-3*54 Pin3-3*28 Pin4-3*23 Pin5-2.5*22 #51342 #51343 #51344 #51345 #51346 $\Phi 4*\Phi 7*2.5$ Steering Saver Tube & Shock Pivot Ball (upper) Shock Pivot Ball (lower) Pin 6-2*10 Spring Set (metal) Copper Bearing #51347 #51348 #02053 #51350 #51351 000 0000 0000 000 ϕ 5* ϕ 10*4 $\phi 10*\phi 15*4$ Ball Bearing 1 Ball Bearing 2 Body Clip Flange Nut M4 Nylon Nut M2.5 #51354 #51352 #51353 #51355 #51356 1.5 Grub Hex Screw 3*3 Button Head 3*8 Button Head 3*10 Button Head 3*12 Button Head 3*14 2.0 #51357 1.5 #51358 #51359 #51360 #51361 00 33333 0000 9~ 0~ 0~ 0~ 99999 0000 Columm Head 2*8 Self-tapping Screw Button Head 3*23 Button Head 2.5*6 Flat Head 2.5*10 Flat Head 3*10 #51362 #51363 #51364 #51349 $\Phi 4.8*5$ E-Clips Ø4.0mm Step Screws M4*10 Step Screws 3.5*10 Ball Head Screw Ball Head Screw

Spare Part

Spare Part







Upgradable Optionals

#11184	#513001	#513002	#513003	#513004
(64T)	Motor Gear			R
Diff Main Gear Mefal	(16T/17T/19T/21T)	Rear Axle Mount(AL.)	Steering Mount(AL.)	Caster Block(AL.)
#513005				
Motor Mount(AL.)				

PRODUCT QUALIFICATION CERTIFICATION

The product has conducted IQC (Input Quality Control) and full inspection before delivery. The manufacturer is responsible for quality assurance. Remote Control model is assembled manually, and then there may have some defects in the production process. Once the product is modified or incorrect operation, it cannot apply for replacement and return services, for the parts and accessories may be damaged.

Please contact the retail seller for after-sales service when needed.

Flease contact the retail seller for after-sales service when needed.

The product conforms to technical requirements of export safety regulations.	

Notes:

- ⇒ Read and understand the instructions carefully before operating or assembling your racing model.
- ⇒ Specifications are subject to change without prior notice, and actual received model may vary from the images and/or descriptions in this manual.

Factory Address: Huang Jiang Town, Dong Guan City,
Guang Dong Province, China

Production Date: refer to packing instruction

(€ 🕸 🗵 🥝 ROHS